🗗	Туре	다 #	Hits	Search Text	DBs	Time Stamp	Comment s	Error Definition	ro rs
. ~	BRS	11	645	(429/12-46.ccls. or h01m008\$.ipc.) and ((seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with (bead or spac\$3))	USPA T; US-P GPUB ; HPO; JPO; DERW	2002/06/1 2 13:02			0
	BRS	1.2	y y	(429/12-46.ccls. or h01m008\$.ipc.) and (seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with (bead with spac\$3))		2002/06/1 2 13:05		The search/retrie val could not be aborted because it is not currently pending.	Н
	BRS	Г.3	24	(429/12-46.ccls. or h01m008\$.ipc.) and ((seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with spher\$4)		2002/06/12 12:42			0
	BRS	Г.5	627	(seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with spacer with (good or excellent)	USPA T; US-P GPUB ; EPO; JPO; DERW	2002/06/1 2 13:07			0

H H H	0	0	0	0
Error Definition				·
Comment s				
Time Stamp	2002/06/12 13:09	2002/06/1 2 13:16	2002/06/1 2 13:57	2002/06/1 2 14:08
DBs	USPA T; US-P GPUB; JPO; JPO; DERW	USPA T; US-P GPUB; JPO; JPO; DERW	USPA T; US-P GPUB; JPO; JPO; DERW	USPA T; US-P GPUB; JPO; JPO; DERW
Search Text	(429/12-46.ccls. or h01m008\$.ipc.) and ((seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with spacer)	(429/12-46.ccls. or h01m008\$.ipc.) and ((seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with spacing)	429/35,36.ccls. and ((seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with (spac\$4 or beads! or spher\$4))	h01m008/10.ipc. and ((seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with (spac\$4 or beads! or spher\$4))
Hits	169	47	92	8 4
#	L4	I 6	L7	L8
Туре	BRS	BRS	BRS	BRS
	Ŋ	9	7	ω

	Туре	# 1	Hits	Search Text	DBs	Time Stamp	Comment s	Error Definition	E r o r s
Ø	BRS	F 6 7	63	8 not 7		2002/06/1 2 14:44			0
10	BRS	L 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	456	"silicone rtv"	ŧ :	2002/06/1 2 14:44			0
11	BRS	L10	64	"silicon rtv"	USPA T; US-P GPUB ; JPO; JPO; DERW	2002/06/1 2 14:50			0
12	BRS	L12	4162	silicon\$1 near5 hardness	USPA T; US-P GPUB ; JPO; JPO; DERW	2002/06/1 2 14:51			0

	Туре	#	Hits	Search Text	DBs	Time Stamp	Comment	Error Definition	E L
13	BRS	L13	2700	silicon\$1 same (hardness with (shore or durometer))		2002/06/1 2 15:11			0
14	BRS	L14	1548	silicon\$1 with (hardness with (shore or durometer))	:	2002/06/1 2 14:56			O
15	BRS	L15	Ŋ	14 and 429/\$.ccls.		2002/06/1 2 14:54			0
16	BRS	L16	28	silicon\$1 with epoxy with (hardness with (shore or durometer))	USPA T; US-P GPUB ; TPO; JPO; DERW	2002/06/1 2 14:56			0

06/12/2002, EAST Version: 1.03.0002

Type L # Hits	#	Hits	<u>-</u>	Search Text	DBs	Time Stamp	Comment	Error Definition	Er ro rs
Silicon\$1 same (hardness with with (shore or durometer))	179		silicon\$1 sam (hardness wit with (shore o durometer))	me th low or	USPA T; US-P GPUB , LFO; JPO; DERW	2002/06/1			0
Silicon\$1 same BRS L18 155 (modulus with or durometer))	silicon\$1 155 (modulus w or duromet	silicon\$1 55 (modulus w or duromet	licon\$1 odulus w duromet	e (shore	USPA T; US-P GPUB ; EPO; JPO; DERW	2002/06/1 2 15:36			0
h01m008/10.ipc. and (seal\$4 or gasket\$4 with (resilien\$3 or soft))	591		h01m008/10.ip (seal\$4 or ga with (resilie soft))	c. and sket\$4 n\$3 or	USPA T; US-P GPUB ; LPO; JPO; DERW	2002/06/1 2 15:38			0
h01m008/10.ipc. and (seal\$4 or gasket\$4 near3 (resilien\$3 o. soft))	590		h01m008/10.ip (seal\$4 or ga near3 (resili soft))	oc. and isket\$4 .en\$3 or	USPA T; US-P GPUB ; JPO; DERW ENT	2002/06/1 2 15:38			0

Er ro rs	0
Error Definition	
Comment	
Time Stamp	2002/06/1 2 15:38
DBs	USPA T; US-P GPUB ; EPO; JPO; DERW
Search Text	h01m008/10.ipc. and ((seal\$4 or gasket\$4) with (resilien\$3 or soft))
Hits	28
# I	L21
Type L	BRS
	21